APPENDIX C: DATABASE LAYOUTS

ACTREF.DBF

This database contains information about the ACTION field in DISTRIB.DBF. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| ACTION | Numeric | 2 | 0 | Action code. Used in the ACTION field in DISTRIB.DBF to identify the type of transaction. Codes are: |
| | | | | 1 - vaccine sent from the Project to a provider 2 - provider returned usable vaccine to the depot 3 - vaccine spoiled for a reason other than improper storage upon receipt of vaccine or refrigerator failure 4 - vaccine expired before it was completely used by the provider |
| | | | | 5 - vaccine was lost or damaged during shipment to the provider |
| | | | | 6 - vaccine was improperly stored upon receipt and spoiled |
| | | | | 7 - refrigerator failed and the vaccine spoiled |
| | | | | 8 - provider transferred usable vaccine to another provider |
| | | | | 9 - vaccine order transmitted to vaccine distribution center |
| | | | | 11 - vaccine was lost or cannot be accounted for in the provider inventory |
| | | | | 12 - vaccine was not usable for some reason other than spoiled, expired, or lost/damaged |
| STATUS | Character | 50 | 0 | Description of the code set up in the ACTION field |

DISTOVER.DBF

This database contains information about vaccine overrides. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| INPUT | Date | 8 | 0 | Date the override record is entered in the database. This can be earlier or later than the date of shipment. |
| PIN | Character | 6 | 0 | Provider identification number. This number must be in the PIN field in PROVIDER.DBF. This field is right-justified. |
| ACTION | Numeric | 2 | 0 | Action code. Used in DISTRIB.DBF to identify the type of transaction. Codes are: |
| | | | | 1 - vaccine sent from the Project to a provider |
| | | | | 9 - vaccine order transmitted to vaccine distribution center |
| VACCINE | Character | 8 | 0 | Short name for vaccine type. This name must be in the VACCINE field in STOCK.DBF. |
| DOSES | Numeric | 8 | 0 | Number of doses |
| ELIG_KIDS | Numeric | 6 | 0 | Number of children eligible for vaccine. This field is assigned information from the PROVIDER.DBF record for the associated PIN. |
| REASON | Character | 50 | 0 | Description for the override action |

DISTRIB.DBF

This database contains information about vaccine distributions to providers, vaccine returned by providers, and vaccine reported as wasted by providers. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

This database can have information imported to or exported from it using the Import Data into VACMAN or Export Data screen under Utilities Main Menu.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| INPUT | Date | 8 | 0 | Date the record is entered into the database. This can be earlier or later than the date of shipment. |
| XMITDATE | Date | 8 | 0 | Future use |
| DATEOUT | Date | 8 | 0 | Date depends on the code in the ACTION field in ACTREF.DBF. Dates are: |
| | | | | 1 - date shipment is actually shipped to the provider |
| | | | | 2 - date vaccine is returned |
| | | | | 3 thru 7, 11, 12 - date vaccine is reported spoiled, expired, or lost/damaged |
| | | | | 8 - date vaccine is transferred |
| | | | | 9 - date vaccine order is transmitted |
| ORDSIZE | Numeric | 2 | | Future use |
| PIN | Character | 6 | 0 | Provider identification number. This number must be in the PIN field in PROVIDER.DBF. This field is right-justified. |
| FROMPIN | Character | 6 | 0 | Definition of this PIN depends on the code in the ACTION field in ACTREF.DBF. Definitions are: |
| | | | | 1 - sending Project/Depot PIN for distribution of inventory |
| | | | | 2 thru 7, 11, 12 - Project/Depot PIN to which the provider is reporting |
| | | | | 8 - provider PIN transferring the vaccine |
| | | | | 9 - PIN of a vaccine distribution center |
| ACTION | Numeric | 2 | 0 | Action code (see the ACTION field in ACTREF.DBF) to identify the type of transaction. Codes are: |
| | | | | 1 - vaccine sent from the Project to a provider |
| | | | | 2 - usable vaccine returned by the provider |
| | | | | 3 - vaccine spoiled for a reason other than |
| | | | | improper storage upon receipt or refrigerator failure |

| | | | | 4 - expired vaccine |
|------------|----------|-----|---|--|
| | | | | + - expired vaccine |
| | | | | 5 - vaccine was lost or damaged during shipment |
| | | | | to the provider |
| | | | | 6 - vaccine was improperly stored upon receipt |
| | | | | and spoiled |
| | | | | 7 - refrigerator failed and the vaccine spoiled |
| | | | | 8 - usable vaccine transferred from one provider |
| | | | | to another |
| | | | | 11 - vaccine was lost or cannot be accounted for |
| | | | | in the provider inventory |
| | | | | 12 - vaccine was not usable for some reason |
| | | | | |
| Y O.T. G | 11 | 1.5 | | other than spoiled, expired, or lost/damaged |
| LOT CI | haracter | 15 | 0 | Manufacturer's lot number. This number must be in the LOT field in STOCK.DBF. |
| VACCINE CI | haracter | 8 | 0 | Short name for vaccine types. This name must be in the |
| | | | | VACCINE field in STOCK.DBF. |
| | lumeric | 8 | 0 | Number of vials |
| | lumeric | 8 | 0 | Number of doses |
| | lumeric | 8 | 0 | Number of doses assigned to VFC funds |
| | lumeric | 8 | 0 | Number of doses assigned to G317 funds |
| | lumeric | 8 | 0 | Number of doses assigned to State/other funds |
| SEEKID N | lumeric | 9 | 0 | Unique number assigned to this record when the code in |
| | | | | the ACTION field = 1. If the code in the ACTION field |
| CDCPO Ni | lumeric | 10 | | does not equal 1, this field is blank. Future use |
| | haracter | 2 | | Future use |
| | ate | 8 | | Future use |
| | lumeric | 8 | | Future use |
| | lumeric | 1 | 0 | Code indicating whether the vaccine shipped has actually |
| SIIII I LD | differie | 1 | O | been shipped. Codes are: |
| | | | | The sample of the same same |
| | | | | Y - vaccine has been shipped |
| | | | | N - vaccine has not been shipped (leave field |
| | | | | blank) |
| NOTES CI | haracter | 25 | 0 | Optional field. Special information about the vaccine shipment that can be included on the Shipping Invoice. |
| CHGDATE Da | ate | 8 | 0 | Date the record was last changed. |
| | haracter | 8 | 0 | ID of the user who last changed the record. The ID is |
| | | | J | copied from the Security profile. |

DOSESADM.DBF

This database contains information about doses administered by providers. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

This database can have information imported to or exported from it using the Import Data into VACMAN or Export Data screen under Utilities Main Menu.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| ADATE | Date | 8 | 0 | Last day of the period (such as month or quarter) being |
| DIN | G1 | | 0 | reported. |
| PIN | Character | 6 | 0 | Provider identification number. This number must be in |
| | | | | the PIN field in PROVIDER.DBF. This field is |
| | | | | right-justified. |
| SECTOR | Numeric | 1 | 0 | Code for vaccine sector type. Codes are: |
| | | | | 1 - public provider doses |
| | | | | 2 - private provider doses |
| VACCINE | Character | 8 | 0 | Short name for vaccine types. This name must be in the |
| | | | | VACCINE field in VACCREF.DBF. |
| POSITION | Numeric | 2 | 0 | Source code for the re-defined age categories. Codes are: |
| | | | | 98 - re-defined age categories |
| | | | | blank - original age categories |
| 7.007 | | | 0 | |
| DOSE | Numeric | 1 | 0 | Number of doses in the series for a vaccine (1st dose, 2nd |
| | | _ | | dose, etc.) |
| G1 | Numeric | 7 | 0 | Number of doses administered to age category 1 (less than |
| | | _ | 0 | 1 year of age) |
| G2 | Numeric | 7 | 0 | Number of doses administered to age category 2 (1 year of age) |
| G3 | Numeric | 7 | 0 | Number of doses administered to age category 3 (2 years |
| | Transfer | , | | of age) |
| G4 | Numeric | 7 | 0 | Number of doses administered to age category 4 (3 - 4 |
| | | | | years of age) |
| G5 | Numeric | 7 | 0 | Number of doses administered to age category 5 (5 years |
| | | | | of age) |
| G6 | Numeric | 7 | 0 | Number of doses administered to age category 6 (6 - 9 |
| | | | | years of age) |
| G7 | Numeric | 7 | 0 | Number of doses administered to age category 7 (10 - 14 |
| | | | | years of age) |
| G8 | Numeric | 7 | 0 | Number of doses administered to age category 8 (15 - 19 |
| | | | | years of age) |
| G9 | Numeric | 7 | 0 | Number of doses administered to age category 9 (20 - 24 |
| | | | | years of age) |
| G10 | Numeric | 7 | 0 | Number of doses administered to age category 10 (25 - 44 |
| | | | | years of age) |

| G11 | Numeric | 7 | 0 | Number of doses administered to age category 11 (45 - 64 years of age) |
|---------|-----------|----|---|---|
| G12 | Numeric | 7 | 0 | Number of doses administered to age category 12 (65 years of age or greater) |
| G13 | Numeric | 7 | 0 | Number of doses administered to age category 13 (unknown age) |
| ROWTOT | Numeric | 10 | 0 | Total number of doses administered for age categories 1 - 13 |
| DAUZR1 | Numeric | 7 | 0 | First optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project analysis in doses administered data and related reports. The name must be in the UZR1DA field in OWNREF.DBF. |
| DAUZR2 | Numeric | 7 | 0 | Second optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project analysis in doses administered data and related reports. The name must be in the UZR2DA field in OWNREF.DBF. |
| DAUZR3 | Numeric | 7 | 0 | Third optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project analysis in doses administered data and related reports. The name must be in the UZR3DA field in OWNREF.DBF. |
| CHGDATE | Date | 8 | 0 | Date the record was last changed. |
| USERID | Character | 8 | 0 | ID of the user who last changed the record. The ID is copied from the Security profile. |

ENROLL.DBF

This database contains information about VFC-enrollment age groups for providers. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

This database can have information imported to or exported from it using the Import Data into VACMAN or Export Data screen under Utilities Main Menu.

File Structure

| Field Name | Туре | Length |
|------------|-----------|--------|
| PIN | Character | 6 |
| AGEDEFINE | Character | 6 |
| ENSOURCE | Character | 10 |
| ALLKIDS1 | Numeric | 7 |
| MEDICAID1 | Numeric | 7 |
| UNINSURED1 | Numeric | 7 |
| AMINDIAN1 | Numeric | 7 |
| FQHC_RHC1 | Numeric | 7 |
| VFCKIDS1 | Numeric | 7 |
| G317KIDS1 | Numeric | 7 |
| STATEKIDS1 | Numeric | 7 |
| ALLKIDS2 | Numeric | 7 |
| MEDICAID2 | Numeric | 7 |
| UNINSURED2 | Numeric | 7 |
| AMINDIAN2 | Numeric | 7 |
| FQHC_RHC2 | Numeric | 7 |
| VFCKIDS2 | Numeric | 7 |
| G317KIDS2 | Numeric | 7 |
| STATEKIDS2 | Numeric | 7 |

| Field Name | Type | Length |
|------------|-----------|--------|
| ALLKIDS3 | Numeric | 7 |
| MEDICAID3 | Numeric | 7 |
| UNINSURED3 | Numeric | 7 |
| AMINDIAN3 | Numeric | 7 |
| FQHC_RHC3 | Numeric | 7 |
| VFCKIDS3 | Numeric | 7 |
| G317KIDS3 | Numeric | 7 |
| STATEKIDS3 | Numeric | 7 |
| ALLKIDS4 | Numeric | 7 |
| MEDICAID4 | Numeric | 7 |
| UNINSURED4 | Numeric | 7 |
| AMINDIAN4 | Numeric | 7 |
| FQHC_RHC4 | Numeric | 7 |
| VFCKIDS4 | Numeric | 7 |
| G317KIDS4 | Numeric | 7 |
| STATEKIDS4 | Numeric | 7 |
| CHGDATE | Date | 8 |
| USERID | Character | 8 |

File Layout

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| PIN | Character | 6 | 0 | Project/Depot identification number. This number must be in the PIN field in PROVIDER.DBF and assigned to classification codes 30 through 33 (Project or depot) for the SECTOR field in SECTOREF.DBF. This field is right-justified. |
| AGEDEFINE | Character | 6 | 0 | 1998. Indicates the new 1998 age groups. |
| ENSOURCE | Character | 10 | 0 | Source code for the enrollment information. The codes are the same as in the SOURCECODE field in ENROLLSC.DBF. This field can contain any combination of codes. Codes are: A - benchmarking data B - Medicaid claims data C - provider encounter data |
| | | | | D - registry data |
| | | | | E - vaccine replacement data |
| | | | | F - doses administered data |
| | | | | G - prior ordering data |
| | | | | Z - other |
| ALLKIDS1 | Numeric | 7 | 0 | Total children under 1 year of age receiving immunizations |
| MEDICAID1 | Numeric | 7 | 0 | Number of children under 1 year of age qualifying for Medicaid |
| UNINSURED1 | Numeric | 7 | 0 | Number of children under 1 year of age uninsured for health care |
| AMINDIAN1 | Numeric | 7 | 0 | Number of American Indian and Alaskan Native children under 1 year of age |
| FQHC_RHC1 | Numeric | 7 | 0 | Number of children under 1 year of age underinsured (no coverage for immunizations) AND are served in a Federally Qualified Health Center (FQHC) or Rural Health Center (RHC) |
| VFCKIDS1 | Numeric | 7 | 0 | Total children under 1 year of age who are VFC eligible. This amount should equal the number in the MEDICAID1, UNINSURED1, AMINDIAN1, and FQHC_RHC1 fields. |
| G317KIDS1 | Numeric | 7 | 0 | Number of children under 1 year of age not eligible for VFC vaccines, but eligible to receive free vaccines through direct assistance or G317 funds. |
| STATEKIDS1 | Numeric | 7 | 0 | Number of children under 1 year of age not eligible for VFC vaccines, but eligible to receive free vaccines through State/other funds. |

| ALLKIDS2 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. |
|--------------|---------|---|---|--|
| | | | | Total children in age group receiving immunizations |
| MEDICAID2 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. Number of children in age group qualifying for |
| LIMINGLIDEDA | NT | 7 | 0 | Medicaid |
| UNINSURED2 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. Number of children in age group uninsured for health care |
| AMINDIAN2 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. Number of American Indian and Alaskan Native |
| | | | | children in age group |
| FQHC_RHC2 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. Number of children in age group underinsured (no coverage for immunizations) AND are served in a Federally Qualified Health Center (FQHC) or Rural Health Center (RHC) |
| VFCKIDS2 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. Total number of children in age group who are VFC eligible. This amount should equal the number in the MEDICAID2, UNINSURED2, AMINDIAN2, and FQHC_RHC2 fields. |
| G317KIDS1 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. Number of children in age group not eligible for VFC vaccines, but eligible for free vaccines through |
| | | | | distribution of direct assistance or G317 funds. |

| OT ATTEMPOS | NT · | | 0 | A ' 1 10 'C 1 A CENTER E' 11 1 |
|-------------|---------|---|---|--|
| STATEKIDS2 | Numeric | 7 | 0 | Age group is 1-18 if the AGEDEFINE field does not contain 1998. Age group is 1-6 if AGEDEFINE does contain 1998. |
| | | | | Number of children in age group not eligible for VFC vaccines, but eligible for free vaccines through State/other funds. |
| ALLKIDS3 | Numeric | 7 | 0 | Total children 7-18 years of age receiving immunizations |
| MEDICAID3 | Numeric | 7 | 0 | Number of children 7-18 years of age qualifying for Medicaid |
| UNINSURED3 | Numeric | 7 | 0 | Number of children 7-18 years of age uninsured for health care |
| AMINDIAN3 | Numeric | 7 | 0 | Number of American Indian and Alaskan Native children 7-18 years of age |
| FQHC_RHC3 | Numeric | 7 | 0 | Number of children 7-18 years of age underinsured (no coverage for immunizations) AND are served in a Federally Qualified Health Center (FQHC) or Rural Health Center (RHC) |
| VFCKIDS3 | Numeric | 7 | 0 | Total children 7-18 years of age who are VFC eligible. This amount should equal the number in the MEDICAID3, UNINSURED3, AMINDIAN3, and FQHC_RHC3 fields. |
| G317KIDS3 | Numeric | 7 | 0 | Number of children 7-18 years of age not eligible for VFC vaccines, but eligible to receive free vaccines through direct assistance or G317 funds. |
| STATEKIDS3 | Numeric | 7 | 0 | Number of children 7-18 years of age not eligible for VFC vaccines, but eligible to receive free vaccines through State/other funds. |
| ALLKIDS4 | Numeric | 7 | 0 | Optional user-selected field. Total of children over 18 years of age receiving immunizations |
| MEDICAID4 | Numeric | 7 | 0 | Optional user-selected field. Number of children over 18 years of age qualifying for Medicaid |
| UNINSURED4 | Numeric | 7 | 0 | Optional user-selected field. Number of children over 18 years of age uninsured for health care |
| AMINDIAN4 | Numeric | 7 | 0 | Optional user-selected field. Number of American Indian and Alaskan Native children over 18 years of age |
| FQHC_RHC4 | Numeric | 7 | 0 | Optional user-selected field. Number of children over 18 years of age underinsured (no coverage for immunizations) AND are served in a Federally Qualified Health Center (FQHC) or Rural Health Center (RHC) |
| VFCKIDS4 | Numeric | 7 | 0 | Optional user-selected field. Total children over 18 years of age who are VFC eligible. This amount should equal the number in the MEDICAID4, UNINSURED4, AMINDIAN4, and FQHC_RHC4 fields. |
| G317KIDS4 | Numeric | 7 | 0 | Optional user-selected field. Number of children over 18 years of age not eligible for VFC vaccines, but eligible to receive free vaccines through direct assistance or G317 funds. |

| STATEKIDS4 | Numeric | 7 | 0 | Optional user-selected field. Number of children over 18 years of age not eligible for VFC vaccines, but eligible to receive free vaccines through State/other funds. |
|------------|-----------|---|---|---|
| CHGDATE | Date | 8 | 0 | Date the ENROLL record was last updated by the |
| | | | | Project. |
| USERID | Character | 8 | 0 | User ID of person adding or editing the ENROLL |
| | | | | record. The ID is copied from the Security profile. |

ENROLLSC.DBF

This database contains information about the ENSOURCE field in ENROLL.DBF. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| SOURCECODE | Character | 1 | 0 | Source code for the enrollment information. Codes |
| | | | | are: |
| | | | | A - benchmarking data B - Medicaid claims data C - provider encounter data D - registry data E - vaccine replacement data F - doses administered data G - prior ordering data Z - other |
| SOURCENAME | Character | 30 | 0 | Description of the code set up in the ENSOURCE field. |

FUNDING.DBF

This database contains information about the grant funding for vaccines. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| FUNDCODE | Character | 1 | 0 | Funding codes. The first 3 codes are set by CDC. An unlimited number of other codes can be defined. Use the Funding screen under Setup Main Menu to change certain information on the 3 CDC codes and to define additional codes. Codes already set are: 1 - VFC funds 2 - G 317 funds 3 - state funds |
| SHORTNAME | Character | 8 | 0 | Short description of funding code set up in the FUNDCODE field |
| AMOUNTDATE | Date | 8 | 0 | Project use only Date the amount entered in the AMOUNT field is first available for use. |
| AMOUNT | Numeric | 9 | 0 | Project use only Beginning amount (in whole dollars) for the fund. |
| ORDERS | Numeric | 9 | 0 | Total amount of funds (in whole dollars) used since the date in the AMOUNTDATE field. This amount is calculated by VACMAN based on the number of approved doses (NIPORD field in STOCK.DBF) and cost per dose (COST field in STOCK.DBF). |
| ADJUSTMENT | Numeric | 8 | 0 | Project use only Amount of adjustment (in whole dollars) against the amount in the AMOUNT field. Enter a minus sign (-) to subtract the amount. |
| BALANCE | Numeric | 9 | 0 | Amount (in whole dollars) currently available. VACMAN calculates this amount based on the amounts in the AMOUNT, ORDERS, and ADJUSTMENT fields. |
| LONGNAME | Character | 50 | 0 | Full description of the funding code set up in the FUNDCODE field |

LOTS.DBF

This database contains information about lots of vaccines received by the Project. The data in this database is extracted from the Stock (STOCK.DBF) database. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| PIN | Character | 6 | 0 | Project/Depot identification number. This number must be in the PIN field in PROVIDER.DBF and assigned to classification codes 30 through 33 (Project or depot) for the SECTOR field in SECTOREF.DBF. This field is right-justified. |
| VACCINE | Character | 8 | 0 | Short name for vaccine types. This name must be in the VACCINE field in STOCK.DBF. |
| LOT | Character | 15 | 0 | Manufacturer's lot number. The number must be in the LOT field in STOCK.DBF. |
| EXPIRY | Date | 8 | 0 | Vaccine expiration date. If only the month and year are entered, the last day of the month is used. The date must be in the EXPIRY field in STOCK.DBF. |
| MAKER | Character | 8 | 0 | Vaccine manufacturer's name. The name must be in the MAKER field in SUPPLIER.DBF. |
| DOSES | Numeric | 8 | 0 | Total doses received from the manufacturer for this lot number. This amount should equal the total in the DOSES field as entered in one or more records in STOCK.DBF. |
| UNITS | Numeric | 8 | 0 | Total units (vials) received from the manufacturer for this lot number. This amount should equal the total in the UNITS field as entered in one or more records in STOCK.DBF. |
| SIZE | Numeric | 2 | 0 | Number of doses per vial |
| COST | Numeric | 9 | 4 | Cost per dose |
| REMAIN | Numeric | 8 | 0 | Number of doses remaining. Formula used for this calculation: sum of doses received from manufacturer for this lot number minus number of doses distributed (adjusted for stock |
| | | | | adjustments and viable doses returned) |
| DATEIN | Date | 8 | 0 | Date the Project first received the vaccine lot number |

OWNREF.DBF

This database contains information about the Project, including names of user-defined categories and entry screen options. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

File Structure

| Field Name | Type | Length |
|------------|-----------|--------|
| PROJECT | Character | 15 |
| REGION | Numeric | 2 |
| PRABBR | Character | 2 |
| INSTALLID | Numeric | 2 |
| PROGRAM | Character | 40 |
| CONTACT | Character | 30 |
| ADDRESS | Character | 35 |
| ADDRES2 | Character | 35 |
| CITY | Character | 20 |
| STATE | Character | 2 |
| ZIPCODE | Character | 10 |
| PHONE | Character | 14 |
| EXTENSION | Character | 4 |
| FAX | Character | 14 |
| EMAIL | Character | 40 |
| NAMESUB | Character | 8 |
| DOSEVIAL | Character | 5 |
| ALERTDAYS | Numeric | 4 |
| CAT1NAME | Character | 10 |
| CAT2NAME | Character | 10 |
| CAT3NAME | Character | 10 |
| DALASTVACC | Character | 1 |
| DASECTOR | Character | 1 |
| DADOSERIES | Character | 1 |
| DAAGEGRP | Character | 1 |
| TDON | Character | 1 |
| DOSE4ON | Character | 1 |
| MMRON | Character | 1 |
| HIBON | Character | 1 |
| DTPON | Character | 1 |
| DTAPON | Character | 1 |
| DOSECODES | Character | 5 |
| PINVCODES | Character | 5 |
| UZR1DA | Character | 10 |

| Field Name | Type | Length |
|------------|-----------|--------|
| UZR2DA | Character | 10 |
| UZR3DA | Character | 10 |
| NAMEUZR | Character | 10 |
| LASTUPD | Date | 8 |
| LSTWORSEEK | Numeric | 9 |
| LSTMORSEEK | Numeric | 9 |
| SETFORMULA | Character | 1 |
| PCT317PUB | Numeric | 3 |
| PCT317PRI | Numeric | 3 |
| PCTLOCPUB | Numeric | 3 |
| PCTLOCPRI | Numeric | 3 |
| CALC317 | Character | 1 |
| CALCLOC | Character | 1 |
| AIDNAME | Character | 10 |
| RDATE1 | Date | 8 |
| RDATE2 | Date | 8 |
| DISTDUPON | Character | 1 |
| DIALOUT | Character | 10 |
| AUTHOR | Character | 15 |
| ENAB_NDC | Character | 1 |
| ENAB_MERCK | Character | 1 |
| ENAB_BULK | Character | 1 |
| ENAB_OTH1 | Character | 1 |
| ENAB_OTH2 | Character | 1 |
| PINPOPORD | Character | 5 |
| REPDEFAULT | Character | 60 |
| ENROLL | Character | 10 |
| ENSOURCE | Character | 10 |
| UDPHYSID | Character | 10 |
| UDOTHER1 | Character | 10 |
| UDOTHER2 | Character | 10 |
| VERSION | Character | 5 |
| DBDRIVE | Character | 1 |

File Layout

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| PROJECT | Character | 15 | 0 | CDC use only |
| REGION | Numeric | 2 | 0 | CDC use only |
| PRABBR | Character | 2 | 0 | CDC use only |
| INSTALLID | Numeric | 2 | 0 | CDC use only |
| PROGRAM | Character | 40 | 0 | Complete Project/Depot name. The name must be in the LASTNAME field for PIN 999998 in PROVIDER.DBF. |
| CONTACT | Character | 30 | 0 | Person to contact for questions or problems about vaccine issues. The contact person must be in the ML_CONTACT field for PIN 999998 in PROVIDER.DBF. |
| ADDRESS | Character | 35 | 0 | Mailing address. The address must be in the ML_ADDRESS field for PIN 999998 in PROVIDER.DBF. |
| ADDRES2 | Character | 35 | 0 | Second line for mailing address. If a P.O. box is part of the mailing address, enter this on the second address line, otherwise leave this line blank. The address must be in the ML_ADDRES2 field for PIN 999998 in PROVIDER.DBF. |
| CITY | Character | 20 | 0 | Mailing address city. The city must be in the ML_CITY field for PIN 999998 in PROVIDER.DBF. |
| STATE | Character | 2 | 0 | Mailing address state. The state must be in the ML_STATE field for PIN 999998 in PROVIDER.DBF. |
| ZIPCODE | Character | 10 | 0 | Mailing address ZIP code (5 or 9 digits). The code must be in the ZIP field in ZIPCODES.DBF and in the ML_ZIPCODE field for PIN 999998 in PROVIDER.DBF. |
| PHONE | Character | 14 | 0 | Phone number for the person set up in the CONTACT field. Field includes parentheses around area code and hyphen after local exchange, for example (404) 555-8245. The number must be in the PHONE field for PIN 999998 in PROVIDER.DBF. |
| EXTENSION | Character | 4 | 0 | Extension number for the telephone number in the PHONE field. The extension must be in the EXTENSION field for PIN 999998 in PROVIDER.DBF. |
| FAX | Character | 14 | 0 | FAX number. Field includes parentheses around area code and hyphen after local exchange, for example (404) 555-8245. The number must be in the FAX field for PIN 999998 in PROVIDER.DBF. |
| EMAIL | Character | 40 | 0 | E-mail address of the person set up in the CONTACT field |

| NAMESUB | Character | 8 | 0 | User-defined name of the Project jurisdictional subdivision (district, county, region, station, area, etc.) under which the provider is grouped. |
|------------|-----------|----|---|--|
| DOSEVIAL | Character | 5 | 0 | Not used |
| ALERTDAYS | Numeric | 4 | 0 | Number of days before expiration when the vaccine becomes short dated. This field is assigned using the Inventory & Distribution screen under Setup/Other Main Menu. This number will trigger the vaccine to be included in the Report of Vaccine Lot Numbers That Will Expire Within xx Days. |
| CAT1NAME | Character | 10 | 0 | First optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project information not served by other fields in the Provider database. The name is assigned to this category in the CAT1 field in PROVIDER.DBF. |
| CAT2NAME | Character | 10 | 0 | Second optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project information not served by other fields in the Provider database. The name is assigned to this category in the CAT2 field in PROVIDER.DBF. |
| CAT3NAME | Character | 10 | 0 | Third optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project information not served by other fields in the Provider database. The name is assigned to this category in the CAT3 field in PROVIDER.DBF |
| DALASTVACC | Character | 1 | 0 | Code indicating whether VACMAN is to automatically enter the previous vaccine entry in Vaccine on the Doses Administered screen under Data Main Menu. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: Y - automatically enter the previous vaccine entry |
| | | | | N - do not enter the previous vaccine entry (leave field blank) |
| DASECTOR | Character | 1 | 0 | Code indicating whether VACMAN is to enable the Sector field on the Doses Administered screen under Data Main Menu for input. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: |
| | | | | Y - field is enabled N - field is not enabled |

| DADOSERIES | Character | 1 | 0 | Code indicating whether VACMAN is to enable the Dose in Series field on the Doses Administered screen under Data Main Menu for input. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: Y - field is enabled N - field is not enabled |
|------------|-----------|---|---|---|
| DAAGEGRP | Character | 1 | 0 | |
| TDON | Character | 1 | 0 | Code indicating whether VACMAN is to automatically skip this field for age groups that are not affected when entering data on the Doses Administered screen under Data Main Menu. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: |
| | | | | Y - cursor automatically skips field representing the age groups |
| | | | | N - cursor moves to each field, not skipping any age group |
| DOSE4ON | Character | 1 | 0 | Code indicating whether VACMAN is to automatically skip this field for age groups that are not affected when entering data on the Doses Administered screen under Data Main Menu. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: |
| | | | | Y - cursor automatically skips field representing the age groups |
| | | | | N - cursor moves to each field, not skipping any age group |
| MMRON | Character | 1 | 0 | Code indicating whether VACMAN is to automatically skip this field for age groups that are not affected when entering data on the Doses Administered screen under Data Main Menu. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: |
| | | | | Y - cursor automatically skips field representing the age groups N - cursor moves to each field, not skipping any age group |

| HIDON | Character | 1 | 0 | Code indicating whathen VACMANI is to |
|-----------|-----------|---|---|--|
| HIBON | Character | 1 | 0 | Code indicating whether VACMAN is to automatically skip this field for age groups that are not affected when entering data on the Doses Administered screen under Data Main Menu. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: |
| | | | | Y – cursor automatically skips field representing the age groups |
| | | | | N – cursor moves to each field, not skipping |
| | | | | any age group |
| DTPON | Character | 1 | 0 | Code indicating whether VACMAN is to automatically skip this field for age groups that are not affected when entering data on the Doses Administered screen under Data Main Menu. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: |
| | | | | Y - cursor automatically skips field |
| | | | | representing the age groups |
| | | | | N - cursor moves to each field, not skipping any age group |
| DTAPON | Character | 1 | 0 | Code indicating whether VACMAN is to automatically skip this field for age groups that are not affected when entering data on the Doses Administered screen under Data Main Menu. This field is assigned using the Doses Administered Options screen under Setup/Other Main Menu. Codes are: Y - cursor automatically skips field representing the age groups |
| | | | | |
| DOSECODES | Character | 5 | 0 | N - cursor does not skip any age group This 5 position field is used to indicate various options selected on the Doses Administered Options screen under Setup/Other Main Menu. The code in position 1 indicates whether the cursor will jump past all age categories to the Unknown age category in the Age Category fields on the Doses Administered screen under Data Main Menu for all providers. Codes are: |
| | | | | Y - jump past all age categories blank - do not jump past all age categories |

| 1 | <u> </u> | | | |
|-----------|-----------|---|---|--|
| | | | | The code in position 2 indicates whether the cursor will jump past all age categories to the Unknown age category in the Age Category fields on the Doses Administered screen under Data Main Menu for private providers only. Codes are: |
| | | | | Y - jump past all age categories blank - do not jump past all age categories |
| | | | | The code in position 3 indicates whether the cursor will jump from the 15 - 19/13 - 18 age category to the Unknown age category in the Age Category fields on the Doses Administered screen under Data Main Menu for all vaccines, except Td. Codes are: |
| | | | | Y - jump to the Unknown age category from the 15 - 19/13 - 18 age category blank - do not jump to the Unknown age category from the 15 - 19/13 - 18 age category |
| | | | | The code in position 4 indicates whether the Age Category fields on the Doses Administered screen under Data Main Menu will be displayed in vertical columns or horizontal rows. Codes are: |
| | | | | Y - vertical columns (default) N - horizontal rows |
| | | | | The code in position 5 indicates whether or not to display the re-defined age categories for the Age Category fields on the Doses Administered screen under Data Main Menu. Codes are: |
| | | | | Y - display the re-defined age categories N - display the original age categories |
| PINVCODES | Character | 5 | 0 | This field is used to indicate various options on the Miscellaneous Options screen under Setup/Other Main Menu. The code in the first position is the only one used at this time. |
| | | | | The first code indicates whether VACMAN is to enable the Lot Number field on the Provider Inventory screen under Data Main Menu for input. Codes are: |
| | | | | Y - field is enabled N - field is not enabled |

| | 1 | | | |
|------------|-----------|----|---|--|
| UZR1DA | Character | 10 | 0 | First optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project analysis in doses administered data and related reports. This name must be in the DAUZR1 field in DOSESADM.DBF. |
| UZR2DA | Character | 10 | 0 | Second optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project analysis in doses administered data and related reports. This name must be in the DAUZR2 field in DOSESADM.DBF. |
| UZR3DA | Character | 10 | 0 | Third optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project analysis in doses administered data and related reports. This name must be in the DAUZR3 field in DOSESADM.DBF. |
| NAMEUZR | Character | 10 | 0 | Optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project information where existing identifier codes may not be served by other fields in STOCK.DBF. |
| LASTUPD | Date | 8 | 0 | CDC use only |
| LSTWORSEEK | Numeric | 9 | 0 | CDC use only. Last number in the SEEKID field in DISTRIB.DBF assigned to the vaccine distribution order. |
| LSTMORSEEK | Numeric | 9 | 0 | CDC use only. Last number in the SEEKID field in STOCK.DBF assigned to the bulk order. |
| SETFORMULA | Character | 1 | 0 | Not used |
| PCT317PUB | Numeric | 3 | 0 | Percentage used to compute the number of non-VFC children eligible for 317 Grant vaccines with public providers. This field is assigned using the VFC Enrollment Options screen under Setup/Other Main Menu. |
| PCT317PRI | Numeric | 3 | 0 | Percentage used to compute the number of non-VFC children eligible for 317 Grant vaccines with private providers. This field is assigned using the VFC Enrollment Options screen under Setup/Other Main Menu. |
| PCTLOCPUB | Numeric | 3 | 0 | Percentage used to compute the number of non-VFC children eligible for non-VFC and non-317 Grant vaccines with public providers. This field is assigned using the VFC Enrollment Options screen under Setup/Other Main Menu. |
| PCTLOCPRI | Numeric | 3 | 0 | Percentage used to compute the number of non-VFC children eligible for non-VFC and non-317 Grant vaccines with private providers. This field is assigned using the VFC Enrollment Options screen under Setup/Other Main Menu. |

VACMAN for Windows User's Guide 2.6

| CALC317 | Chamastan | 1 | | Code indicating whather VACMAN is to |
|---------|-----------|----|---|---|
| CALC31/ | Character | 1 | | Code indicating whether VACMAN is to automatically calculate the number of children in each G317 enrollment age group. The age group fields are on the VFC-Related Enrollment Data screen under Data/Provider Main Menu. This field is assigned using the VFC Enrollment Options screen under Setup/Other Main Menu. Codes are: |
| | | | | Y - automatically calculate the number of children |
| | | | | N - do not calculate the number of children (leave field blank) |
| CALCLOC | Character | 1 | | Code indicating whether VACMAN is to automatically calculate the number of children in each State enrollment age group. The age group fields are on the VFC-Related Enrollment Data screen under Data/Provider Main Menu. This field is assigned using the VFC Enrollment Options screen under Setup/Other Main Menu. Codes are: Y - automatically calculate the number of children N - do not calculate the number of children |
| AIDMANE | CI | 10 | 0 | (leave field blank) |
| AIDNAME | Character | 10 | 0 | Optional field. User-defined secondary identifiers (state ID) where existing identified codes may not be served by other fields in the Provider database. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. |
| RDATE1 | Date | 8 | 0 | January 1 for the current year. Starting date (see RDATE2 for the ending date) for time period to compare the amount of vaccine predicted or allocated and the amount of vaccine actually sent. VACMAN performs this comparison when you enter vaccine ordering information using the Distribution From Project Depot Inventory screen under Data/Distribution Main Menu. This is also the starting date of the vaccine summary information displayed when you click on the \$\$ button on the Bulk Orders via CDC screen under Data/Bulk Orders & Inventory Main Menu. |
| | | | | This field is updated at the end of each year by VACMAN. |

| RDATE2 | Date | 8 | 0 | December 31 for the current year. Ending date (see RDATE1 for the starting date) for time period to compare the amount of vaccine predicted or allocated and the amount of vaccine actually sent. VACMAN performs this comparison when you enter vaccine ordering information using the Distribution From Project Depot Inventory screen under Data/Distribution Main Menu. This is also the ending date of the vaccine summary information displayed when you click on the \$\$ button on the Bulk Orders via CDC screen under Data/Bulk Orders & Inventory Main Menu. This field is updated at the end of each year by VACMAN. |
|------------|-----------|----|---|---|
| DISTDUPON | Character | 1 | 0 | Code indicating whether or not to display a warning message if duplicate distribution data are entered. This field is assigned using the Inventory & Distribution screen under Setup/Other Main Menu. Distribution data is duplicated if 2 or more records are entered with the same input date, provider PIN, and vaccine. Codes are: Y - display a warning message if enter duplicate distribution data N - do not display a warning message if enter duplicate distribution data |
| DIALOUT | Character | 20 | 0 | All the numbers needed to place an outside call on the phone line used by the modem to call CDC. These numbers are dialed before the actual telephone number with area code. Commas and/or spaces can be used. |
| AUTHOR | Character | 20 | 0 | All the numbers needed to authorize a long distance call on the phone line used by the modem to call CDC. These numbers are dialed after the actual telephone number with area code. Commas and/or spaces can be used. |
| ENAB_NDC | Character | 1 | 0 | Not used |
| ENAB_MERCK | Character | 1 | 0 | Code indicating whether to enable the Distribution via Merck & Co. (Varicella Only) screen under Data/Distribution Main Menu for input. This field is assigned using the Inventory & Distribution screen under Setup/Other Main Menu. Codes are: Y - enable the screen N - do not enable the screen |

| T | | | | 1 |
|------------------------|---------------------|----|---|--|
| ENAB_BULK | Character | 1 | 0 | Code indicating whether to enable the Bulk Orders via CDC screen under Data/Bulk Orders & Inventory Main Menu for input. This field is assigned using the Inventory & Distribution screen under Setup/Other Main Menu. Codes are: Y - enable screen |
| | | | | N - do not enable screen |
| ENAD OTHI | Chamaatan | 1 | 0 | Future use |
| ENAB_OTH1 | Character Character | 1 | 0 | Future use |
| ENAB_OTH2 PINPOPORD | Character | 5 | 0 | |
| TINT OF ORD | Character | J | U | Code indicating the order providers are displayed on the pop-up window that is shown for all provider fields. This field is assigned using the Miscellaneous Options screen under Setup/Other Main Menu. Codes are: 1 - providers are displayed in name order 2 - providers are displayed in PIN order 3 - providers are displayed in order of the [Additional Provider ID] (code assigned using the User-Defined Names screen under Setup/Other Main Menu) |
| REPDEFAULT | Character | 60 | 0 | Name of the report file created using the Report Destination screen. |
| ENROLL | Character | 10 | 0 | Code indicating whether VACMAN is to enable the 4th VFC enrollment age group (over 18 years of age) fields on the VFC-Related Enrollment Data screen under Data/Providers Main Menu for input. This field is assigned using the VFC Enrollment Options screen under Setup/Other Main Menu. Codes are: GROUP4 - enable the fields for input blank - do not enable the fields |
| ENSOURCE | Character | 10 | 0 | User-selected default codes that are displayed in the VFC-Related Enrollment Data screen under Data/Providers Main Menu. The codes are selected using the VFC Enrollment Options screen under Setup/Other Main Menu. You can have any combination of codes in this field. The codes are listed in the SOURCECODE field in ENROLLSC.DBF. |

| UDPHYSID | Character | 10 | 0 | Optional user-defined ID field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used as an additional ID for a physician. This name is assigned to this category in the PHYSID field in PHYSICN.DBF. |
|----------|-----------|----|---|--|
| UDOTHER1 | Character | 10 | 0 | First optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for additional ID for a physician. This name is assigned to this category in the OTHER1 field in PHYSICN.DBF. |
| UDOTHER2 | Character | 10 | 0 | Second optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for additional ID for a physician. This name is assigned to this category in the OTHER2 field in PHYSICN.DBF. |
| VERSION | Character | 5 | 0 | CDC use only |
| DBDRIVE | Character | 1 | 0 | CDC use only |

PHYSICN.DBF

This database contains information about physicians associated with a Provider record. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| PIN | Character | 6 | 0 | Provider identification number. This number must be in the PIN field in PROVIDER.DBF. This field is right-justified. |
| PHYSID | Character | 12 | 0 | Optional user-defined ID field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for and additional Project-defined ID of the physician. The name assigned to this category is stored in the UDPHYSID field in OWNREF.DBF. |
| LASTNAME | Character | 20 | 0 | Physician's last name |
| FIRSTNAME | Character | 15 | 0 | Physician's first name |
| INITIAL | Character | 1 | 0 | Physician's middle initial |
| TITLE | Character | 9 | 0 | Physician's title (such as MD) |
| OTHER1 | Character | 12 | 0 | Optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project -needed information about the physician not served by other fields. The name assigned to this category is stored in the UDOTHER1 field in OWNREF.DBF. |
| OTHER2 | Character | 12 | 0 | Optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project -needed information about the physician not served by other fields. The name assigned to this category is stored in the UDOTHER2 field in OWNREF.DBF. |
| MEDICAIDNO | Character | 12 | 0 | Physician's Medicaid number |
| MEDLICENSE | Character | 12 | 0 | Physician's medical license number |
| CHGDATE | Date | 8 | 0 | Date the PHYSICN record was last updated by the Project. |
| USERID | Character | 8 | 0 | User ID of person adding or editing the PHYSICN record. The ID is copied from the Security profile. |

PROVHAS.DBF

This database contains information about the amount of vaccine inventory for a provider. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

This database can have information imported to or exported from it using the Import Data or Export Data screen under Utilities Main Menu.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| PIN | Character | 6 | 0 | Provider identification number. This number must be in the PIN field in PROVIDER.DBF. This field is right-justified. |
| IDATE | Date | 8 | 0 | Date the inventory was done, usually the last day in a month or quarter (02/28/xx or 12/31/xx). The date 01/01/01 is valid only as an initial inventory date, not as a periodic inventory date. |
| VACCINE | Character | 8 | 0 | Short name for vaccine types. This name must be in the VACCINE field in VACCREF.DBF. |
| LOT | Character | 15 | 0 | Optional field. Manufacturer's lot number. Providers may report inventory by lot number or by vaccine type. |
| POSITION | Numeric | 2 | 0 | Not used |
| DOSES | Numeric | 8 | 0 | Number of doses reported in inventory for this date and vaccine type (and optionally, lot number). |
| CHGDATE | Date | 8 | 0 | Date the record was last changed. |
| USERID | Character | 8 | 0 | ID of the user who last changed the record. The ID is copied from the Security profile. |

PROVIDER.DBF

This database contains information about the providers. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

This database can have information imported to or exported from it using the Import Data or Export Data screen under Utilities Main Menu.

File Structure

| Field Name | Type | Length |
|------------|-----------|--------|
| PIN | Character | 6 |
| LINKPIN | Character | 6 |
| ALPHAID | Character | 15 |
| FIRSTNAME | Character | 15 |
| INITIAL | Character | 1 |
| LASTNAME | Character | 35 |
| TITLE | Character | 9 |
| CONTACT | Character | 30 |
| ADDRESS | Character | 35 |
| ADDRES2 | Character | 35 |
| CITY | Character | 20 |
| STATE | Character | 2 |
| ZIPCODE | Character | 10 |
| ML_CONTACT | Character | 30 |
| ML_ADDRESS | Character | 35 |
| ML_ADDRES2 | Character | 35 |
| ML_CITY | Character | 20 |
| ML_STATE | Character | 2 |
| ML_ZIPCODE | Character | 10 |
| COUNTY | Character | 15 |
| PHONE | Character | 14 |
| EXTENSION | Character | 4 |

| Field Name | Type | Length |
|------------|-----------|--------|
| FAX | Character | 14 |
| MODEM | Character | 14 |
| SUBDIV | Character | 15 |
| SECTOR | Numeric | 2 |
| CAT1 | Character | 10 |
| CAT2 | Character | 10 |
| CAT3 | Character | 10 |
| NOTE | Character | 50 |
| PRIV_NOTE | Character | 50 |
| ACTIVE | Character | 1 |
| CODES | Character | 10 |
| PHYSCOUNT | Numeric | 4 |
| ORIGDATE | Date | 8 |
| OTHER | Character | 10 |
| DATEVFC | Date | 8 |
| CREATEDATE | Date | 8 |
| XMITDATE | Date | 8 |
| CHGDATE | Date | 8 |
| USERID | Character | 8 |
| PHONE2 | Character | 14 |
| EMAIL | Character | 40 |

File Layout

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| PIN | Character | 6 | 0 | Provider identification number. This field is right-justified. |
| | | | | This is the key field to match providers in this database with providers in the other databases. |
| LINKPIN | Character | 6 | 0 | Provider identification number for a "parent" Provider record of the "satellite" provider being displayed. This is to link the records for enrollment data. |
| ALPHAID | Character | 15 | 0 | Optional field. User-defined secondary identifiers (state-ID or Medicaid number) where existing identified codes may not be served by other fields in the Provider database. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. |
| FIRSTNAME | Character | 15 | 0 | For private providers only. Private provider's first name. Use the LASTNAME field for a facility name. |
| INITIAL | Character | 1 | 0 | For private providers only. Middle initial of the private provider's name. Use the LASTNAME field for a facility name. |
| LASTNAME | Character | 35 | 0 | Last name of a private provider OR the entire name of a facility. |
| TITLE | Character | 9 | 0 | For private providers only. Suffix or title of the private provider. |
| CONTACT | Character | 30 | 0 | Person to contact for information or questions about vaccine shipments or deliveries. |
| ADDRESS | Character | 35 | 0 | Provider shipping address for delivery purposes. This should be the street address. DO NOT include a P.O. box in this address. |
| ADDRES2 | Character | 35 | 0 | Second line for provider shipping address. Leave this line blank if not needed to complete the address. |
| CITY | Character | 20 | 0 | Shipping address city |
| STATE | Character | 2 | 0 | Shipping address state |
| ZIPCODE | Character | 10 | 0 | Shipping address ZIP code (5 or 9 digits). The 5-digit code must be in the ZIP field in ZIPCODES.DBF. |
| ML_CONTACT | Character | 30 | 0 | Optional field. Person to contact for questions or problems about vaccine issues. |
| ML_ADDRESS | Character | 35 | 0 | Optional field. Provider mailing address |
| ML_ADDRES2 | Character | 35 | 0 | Optional field. Second line for provider mailing address. If a P.O. box is part of the mailing address, enter this on the second address line, otherwise leave this line blank. |
| ML_CITY | Character | 20 | 0 | Optional field. Mailing address city |
| ML_STATE | Character | 2 | 0 | Optional field. Mailing address state |
| ML_ZIPCODE | Character | 10 | 0 | Optional field. Mailing address ZIP code (5 or 9 digits). The 5-digit code must be in the ZIP field in ZIPCODES.DBF. |

| COUNTY | Character | 15 | 0 | Optional field. County name |
|-----------|-----------|----|---|---|
| PHONE | Character | 14 | 0 | Phone number for the person shown in the CONTACT field. Field includes parentheses around area code and hyphen after local exchange, for example (404) 555-8245. |
| EXTENSION | Character | 4 | 0 | Optional field. Extension number for the telephone number shown in the PHONE field. |
| FAX | Character | 14 | 0 | Optional field. FAX number. Field includes parentheses around area code and hyphen after local exchange, for example (404) 555-8245. |
| MODEM | Character | 14 | 0 | Not used |
| SUBDIV | Character | 15 | 0 | User-defined name of the Project jurisdictional subdivision (district, county, region, station, area, etc.) under which the provider is grouped. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. The name must be in the SUBDIV field in SUBDIV.DBF. |
| SECTOR | Numeric | 2 | 0 | Provider classification code. Indicates the type of provider. The first digit must be: 1 - designates the provider is public 2 - designates the provider is private 3 - designates a Project, depot, or other Immunization Project The second digit designates whether a private provider is deputized as a Federally Qualified Health Center (FQHC) or Rural Health Center (RHC). Odd numbers indicate that a private provider is deputized as a FQHC or RHC. The code must be in the SECTOR field in SECTOREF.DBF. |
| CAT1 | Character | 10 | 0 | First optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project information not served by other fields in the Provider database. The name assigned to this category is stored in the CAT1NAME field in OWNREF.DBF. |
| CAT2 | Character | 10 | 0 | Second optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project information not served by other fields in the Provider database. The name assigned to this category is stored in the CAT2NAME field in OWNREF.DBF. |

| CAT3 | Character | 10 | 0 | Third optional user-defined field. This field is |
|------------|-----------|----|---|---|
| CAIS | Character | 10 | | assigned using the User-Defined Names screen under |
| | | | | Setup/Other Main Menu. This field can be used for |
| | | | | Project information not served by other fields in the |
| | | | | Provider database. The name assigned to this category |
| | | | | is stored in the CAT3NAME field in OWNREF.DBF. |
| NOTE | Character | 50 | 0 | Optional field. Special information about the provider |
| | | | | that is to be included on the shipping label. |
| PRIV_NOTE | Character | 50 | 0 | Optional field. Special information about the provider |
| | | | | that is for Project use only. This is not included on |
| | | | | any information sent to the provider. |
| ACTIVE | Character | 1 | 0 | Code to indicate whether a provider is active or |
| | | | | inactive. Codes are: |
| | | | | |
| | | | | Y - active provider |
| | | | | N - inactive provider |
| | | | | |
| | | | | The inactive code is used to keep a provider profile in |
| | | | | the database, even though the provider does not |
| CODEC | G1. | 10 | | actively participate in the program. |
| CODES | Character | 10 | 0 | This field is used to indicate various conditions. The |
| | | | | code in the first position is the only one used at this |
| | | | | time. |
| | | | | The first code indicates whether or not a provider can |
| | | | | order Varicella vaccine. Codes are: |
| | | | | State varietia vaccine. Codes are. |
| | | | | V - provider can order Varicella |
| | | | | blank - provider cannot order Varicella |
| | | | | The Varicella field on the Provider Profiles screen |
| | | | | under Data Main Menu, displays Y (yes) or N (no) |
| | | | | instead of V. |
| PHYSCOUNT | Numeric | 4 | 0 | Future use |
| ORIGDATE | Date | 8 | 0 | Future use |
| OTHER | Character | 10 | 0 | Future use |
| DATEVFC | Date | 8 | 0 | Date the provider is considered eligible to participate |
| | | | | in the VFC program |
| CREATEDATE | Date | 8 | 0 | Date the PROVIDER record was created |
| XMITDATE | Date | 8 | 0 | Date the PROVIDER record was last transmitted to |
| | | | | CDC/NIP |
| CHGDATE | Date | 8 | 0 | Date the PROVIDER record was last updated by the |
| | | | | Project. For newly added records, this date will be the |
| | ~ | _ | _ | same as the date in the CREATEDATE field. |
| USERID | Character | 8 | 0 | User ID of person adding or editing provider's record. |
| | | | | The ID is copied from the Security profile. |

| PHONE2 | Character | 14 | 0 | Optional field. Additional telephone number to use to contact the provider. Field includes parentheses around area code and hyphen after local exchange, for example (404) 555-8245. |
|--------|-----------|----|---|--|
| EMAIL | Character | 40 | 0 | E-mail address to contact the provider |

SECTOREF.DBF

This database contains information about the SECTOR field in PROVIDER.DBF. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| SECTOR | Numeric | 2 | 0 | Sector code. Indicates the type of provider. Codes are: |
| | | | | 10 - public health department |
| | | | | 11 - public health department (as agent of FQHC or RHC) |
| | | | | 12 - public hospital |
| | | | | 13 - public hospital (as agent of FQHC or RHC) |
| | | | | 15 - Federal qualified health center/rural health clinic |
| | | | | 16 - other public health agency |
| | | | | 17 - other public health agency (as agent of FQHC or RHC) |
| | | | | 20 - private practice (individual or group) |
| | | | | 21 - private practice (as agent of FQHC or RHC) |
| | | | | 22 - private hospital |
| | | | | 23 - private hospital (as agent of FQHC or RHC) |
| | | | | 24 - other private health agency |
| | | | | 25 - other private health agency (as agent of FQHC or RHC) |
| | | | | 30 - Immunization Project |
| | | | | 31 - depot |
| | | | | 32 - other Immunization Project |
| | | | | 33 - private depot |
| SECTEXT | Character | 45 | 0 | Description of the code set up in the SECTOR field. |

STATCODE.DBF

This database contains information about the STATUS field in STOCK.DBF. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| STATUS | Character | 2 | 0 | Status code of a bulk vaccine or Varicella order |
| | | | | transmitted to CDC. Codes are: |
| | | | | 00 - unknown 01 - pending (initial, to be processed) 02 - approved by CDC/NIP 03 - obligated by CDC/FMO 04 - submitted (forwarded to manufacturer) 05 - received in part (RCV record) 06 - received in full (RCV record) 07 - received in excess (RCV record) 08 - canceled 09 - held at CDC 10 - shipped in full |
| | | | | 11 - reshipment |
| STATEXT | Character | 40 | 0 | Description of the code set up in the STATUS field. |

STOCK.DBF

This database contains information about the vaccine inventory of the Project. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

File Structure

| Field Name | Type | Length |
|------------|-----------|-----------------|
| RECTYPE | Character | 1 |
| PIN | Character | 6 |
| ORDDATE | Date | 8 |
| ORDNUM | Character | 10 |
| ORDDOSE | Numeric | 8 |
| XMITDATE | Date | 8 |
| DATEIN | Date | 8 |
| RCVXMIT | Date | 8 |
| TIMEIN | Character | 5 |
| SIGNEE | Character | 25 |
| VACCINE | Character | 8 |
| UNITS | Numeric | 8 |
| SIZE | Numeric | 2 |
| DOSES | Numeric | 8 |
| MAKER | Character | 8 |
| LOT | Character | 15 |
| EXPIRY | Date | 8 |
| COST | Numeric | 9 4 decimals |
| CONTRACT | Character | 15 |
| FCODE1 | Character | 1 |
| FDOSE1 | Numeric | 8 |

| Field Name | Type | Length |
|------------|-----------|-----------------|
| FCODE2 | Character | 1 |
| FDOSE2 | Numeric | 8 |
| FCODE3 | Character | 1 |
| FDOSE3 | Numeric | 8 |
| UZR | Character | 10 |
| REMAIN | Numeric | 8 |
| SEEKID | Numeric | 9 |
| CDCPO | Numeric | 10 |
| PODATE | Date | 8 |
| NIPORD | Numeric | 8 |
| STATUS | Character | 2 |
| NOTE | Character | 50 |
| CHGDATE | Date | 8 |
| STATEPO | Character | 32 |
| USERID | Character | 8 |
| RCVCHGDT | Date | 8 |
| ORDPIN | Character | 6 |
| ORDSIZE | Numeric | 2 |
| NDCNO | Character | 16 |
| EXCTAX | Numeric | 9 4 decimals |

File Layout

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| RECTYPE | Character | 1 | 0 | Type of record. Codes are: |
| | | | | 1 111 |
| | | | | 1 - bulk order |
| | | | | 2 - Varicella order for individual providers |
| | | | | 3 - order not placed through CDC |
| PIN | Character | 6 | 0 | Provider or Project/depot identification number. This number must be in the PIN field in PROVIDER.DBF. This field is right-justified. |
| | | | | If the code in the RECTYPE field is 1 or 3, the number in this field must be for a Project/depot (classification codes 30 through 33 for the SECTOR field in SECTOREF.DBF). |
| | | | | If the code in the RECTYPE field is 2, the number in this field must be for a provider (classification codes 10 through 25 for the SECTOR field in SECTOREF.DBF). |
| ORDDATE | Date | 8 | 0 | Date that a bulk or Varicella order that is to be transmitted to CDC was entered. This field is optional for "other vaccines received" (not CDC bulk vaccine orders). |
| ORDNUM | Character | 10 | 0 | Optional field for CDC bulk vaccine orders. Local order number assigned by the Project. This field is optional for "other vaccines received" (not CDC bulk vaccine orders). |
| ORDDOSE | Numeric | 8 | 0 | Number of doses ordered for a bulk or Varicella order that is to be transmitted to CDC. This field is optional for "other vaccines received" (not CDC bulk vaccine orders). |
| XMITDATE | Date | 8 | 0 | Date that a bulk or Varicella order was transmitted to CDC. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). |
| DATEIN | Date | 8 | 0 | If the code in the RECTYPE field is 1 or 3, this is the date the Project received the bulk vaccine order. |
| | | | | If the code in the RECTYPE field is 2, this is the date the manufacturer shipped the Varicella order. |
| RCVXMIT | Date | 8 | 0 | Date that receiving information for a CDC bulk vaccine order was transmitted to CDC. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). |
| TIMEIN | Character | 5 | 0 | Time that the Project received the bulk order and placed it in inventory There is no distinction between AM and PM hours. An assumption is made based on standard business hours (for example, 08:00 is 8:00 AM and 06:00 is 6:00 PM. |

| SIGNEE | Character | 25 | 0 | If the code in the RECTYPE field is 1 or 3, this is the person receiving the bulk vaccine order. |
|----------|-----------|----|---|--|
| | | | | If the code in the RECTYPE field is 2, this is an optional field. Special information about the Varicella order for Project use only. |
| VACCINE | Character | 8 | 0 | Short name for vaccine types. The name must be in the VACCINE field in STOCK.DBF. |
| | | | | Changes to any values in this field should be made to the related records in DISTRIB.DBF. |
| UNITS | Numeric | 8 | 0 | Number of vials received for a bulk vaccine order. This field is calculated by dividing the amount in the DOSES field with the amount in the SIZE field. |
| SIZE | Numeric | 2 | 0 | Number of doses per vial |
| DOSES | Numeric | 8 | 0 | If the code in the RECTYPE field is 1 or 3, this is the number of doses received from the manufacturer. |
| | | | | If the code in the RECTYPE field is 2, this is the number of doses shipped from the manufacturer. |
| MAKER | Character | 8 | 0 | Vaccine manufacturer's name. The name must be in the MAKER field in SUPPLIER.DBF. |
| LOT | Character | 15 | 0 | Manufacturer's lot number (number on the outside of the box containing the vaccine). |
| | | | | Changes to the values in this field should be made to related records in DISTRIB.DBF. |
| EXPIRY | Date | 8 | 0 | Date the vaccine will expire. If only the month and year are provided, use the last day of the month. |
| COST | Numeric | 9 | 4 | Actual cost per dose per the contract used to acquire the vaccine. This is used in computing the value of inventory and shipments. |
| CONTRACT | Character | 15 | 0 | Federal contract number. Typical form is: |
| | | | | 200-95-0001 |
| | | | | If the contract number is not known, enter either: |
| | | | | n/a |
| | | | | unknown |

| FCODE1 | Character | 1 | 0 | Funding code. The first 3 codes are set by CDC. An unlimited number of other codes can be defined. Use the Funding screen under Setup Main Menu to change certain information on the 3 CDC codes and to define additional codes. Codes set are: 1 - VFC funds 2 - G317 funds 3 - state funds |
|--------|-----------|----|---|---|
| | | | | The codes must be in the FUNDCODE field in FUNDING.DBF. |
| FDOSE1 | Numeric | 8 | 0 | Number of doses ordered or received/shipped. |
| | | | | If the code in the RECTYPE field is 1 or 3, this field equals the number of doses ordered (ORDDOSE). Once the vaccine is received, this field is updated to the number of doses received (DOSES). |
| | | | | If the code in the RECTYPE field is 2, this field equals the number of doses ordered (ORDDOSE). Once the vaccine is shipped, this field is updated to the number of doses shipped (DOSES). |
| FCODE2 | Character | 1 | 0 | Future use |
| FDOSE2 | Numeric | 8 | 0 | Future use |
| FCODE3 | Character | 1 | 0 | Future use |
| FDOSE3 | Numeric | 8 | 0 | Future use |
| UZR | Character | 10 | 0 | Optional user-defined field. This field is assigned using the User-Defined Names screen under Setup/Other Main Menu. This field can be used for Project bulk vaccine receipt information that is important and not served by other fields in STOCK.DBF. |
| REMAIN | Numeric | 8 | 0 | Not used |
| SEEKID | Numeric | 9 | 0 | Unique number assigned to this record when the bulk or Varicella order is transmitted to CDC. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). |
| CDCPO | Numeric | 10 | 0 | CDC purchase order (delivery order) number assigned by CDC when the bulk or Varicella order that was transmitted to CDC is approved. This field is blank for "other vaccines received" (not CDC bulk vaccine orders) and can be used to store a state/local purchase order number. |
| PODATE | Date | 8 | 0 | Date when the bulk or Varicella order that was transmitted to CDC was approved by CDC. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). |

| NIPORD | Numeric | 8 | 0 | Number of doses approved by CDC for the bulk or Varicella order that was transmitted to CDC. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). |
|----------|-----------|----|---|---|
| STATUS | Character | 2 | 0 | Status code for the bulk or Varicella order that was transmitted to CDC. The codes are the same as in the STATUS field in STATCODE.DBF. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). Codes are: |
| | | | | 00 - unknown |
| | | | | 01 - pending (initial, to be processed) |
| | | | | 02 - approved by CDC/NIP |
| | | | | 03 - obligated by CDC/FMO |
| | | | | 04 - submitted (forwarded to manufacturer) |
| | | | | 05 - received in part (RCV record) |
| | | | | 06 - received in full (RCV record) |
| | | | | 07 - received in excess (RCV record) |
| | | | | 08 - canceled |
| | | | | 09 - held at CDC |
| | | | | 10 - shipped in full |
| | | | | 11 - reshipment |
| NOTE | Character | 50 | 0 | Optional field. Special information about the bulk order for Project use only. |
| CHGDATE | Date | 8 | 0 | Date the record was last changed. |
| STATEPO | Character | 32 | 0 | State purchase order number entered by the Project for state funded orders. |
| USERID | Character | 8 | 0 | ID of the user who last changed the record. The ID is copied from the Security profile. |
| RCVCHGDT | Date | 8 | 0 | Date that the lot number or expiration date was last changed for a bulk order record containing receiving data. |
| ORDPIN | Character | 6 | 0 | Original provider PIN that is associated to a bulk or Varicella order record. |
| ORDSIZE | Numeric | 2 | 0 | Number of doses per vial. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). |
| NDCNO | Character | 16 | 0 | Unique number assigned to each vaccine manufacturer. This field is blank for "other vaccines received" (not CDC bulk vaccine orders). |
| EXCTAX | Numeric | 9 | 4 | Future use |

SUBDIV.DBF

This database contains information about the Project's jurisdictional subdivisions. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|--|
| SUBDIV | Character | 15 | 0 | User-defined short name of the Project jurisdictional subdivision (district, county, region, station, area, etc.) under which providers are grouped. This field is assigned using the Subdivisions screen under Setup Main Menu. |
| LONGNAME | Character | 35 | 0 | User-defined full name of the subdivision set up in the SUBDIV field. For example, SUBDIV may be "NE - 1", and LONGNAME may be "Northeast Region, Area 1". This field is assigned using the Subdivisions screen under Setup Main Menu. |
| CONTACT | Character | 30 | 0 | Optional field. Person to contact at the subdivision. |
| ADDRESS | Character | 50 | 0 | Optional field. Subdivision mailing address. |
| ADDRES2 | Character | 50 | 0 | Optional field. Subdivision second mailing address line. If a P.O. box is part of the address, enter this on the second address line, otherwise leave this line blank. |
| CITY | Character | 20 | 0 | Optional field. Mailing address city |
| STATE | Character | 2 | 0 | Optional field. Mailing address state |
| ZIPCODE | Character | 10 | 0 | Optional field. Mailing address ZIP code (5 or 9 digits). The code must be in the ZIP field in ZIPCODES.DBF. |
| COUNTY | Character | 15 | 0 | Optional field. County name (a subdivision may not actually exist within a county) |
| PHONE | Character | 14 | 0 | Optional field. Subdivision phone number for the person set up in the CONTACT field |
| EXTENSION | Character | 4 | 0 | Optional field. Extension number for the telephone number set up in the PHONE field |
| FAX | Character | 14 | 0 | Optional field. Subdivision FAX number |

VACCREF.DBF

This database contains reference information about a vaccine. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| POSITION | Numeric | 2 | 0 | Not used |
| VACCINE | Character | 8 | 0 | Short name for vaccine types. The name must be in the VACCINE field in STOCK.DBF. |
| LOCACTIV | Character | 1 | 0 | Code indicating whether a vaccine is active or inactive. Codes are: |
| | | | | Y - active vaccine N - inactive vaccine |
| REORDER | Numeric | 8 | 0 | Number of doses of each vaccine considered to be the minimum inventory before placing a new order. This number is used by VACMAN to compute amounts for the Report of Vaccines With Low Balances. |
| STOCKDAY | Numeric | 4 | 0 | Least number of days' supply to keep in inventory |
| DELIVDAY | Numeric | 4 | 0 | Number of days it should take to receive the vaccine after transmitting the order. |
| ORDFREQ | Numeric | 4 | 0 | Number of days between orders |
| PMD | Character | 1 | 0 | Code indicating whether a vaccine is available for private providers (classification codes 21 - 29) as well as public providers to order. Codes are: Y - vaccine is available N - vaccine is not available |
| MINPROV | Numeric | 4 | 0 | Minimum number of doses that can be shipped to a provider. This number should be less than or equal to the amount entered in Doses on the Distribution from Project Depot Inventory screen under Data/Distribution Main Menu for the matching vaccine type. |
| STDSERIES | Numeric | 1 | 0 | Not used |
| MAXNO | Numeric | 1 | 0 | Maximum number of individual doses in series for a vaccine set up in the DOSE field in DOSESADM.DBF. |
| ORDERFORM | Character | 12 | 0 | Vaccine name as it is to appear on the Shipping Invoices and Provider Vaccine Ordering form. |
| DESCRIP | Character | 50 | 0 | Complete name of the vaccine set up in the VACCINE field |
| SHORTCUT | Character | 3 | 0 | User-defined short name of the vaccine that is displayed in the Shortcut pop-up windows. This field is assigned using the Edit Vaccine Types screen under Setup/Vaccine Types Main Menu. |
| CHGDATE | Date | 8 | 0 | Date the record was last changed. |
| USERID | Character | 8 | 0 | ID of the user who last changed the record. The ID is copied from the Security profile. |

ZIPCODES.DBF

This database contains information about the ZIP codes used by a Project. All letters in Character type fields are in UPPER CASE. All Date type fields are in mm/dd/yy format, although the actual structure contains a 4-digit year in compliance with the year 2000.

| Field Name | Type | Length | Dec. | Description |
|------------|-----------|--------|------|---|
| CITY | Character | 16 | 0 | City name |
| ZIP | Character | 5 | 0 | ZIP code. Only the first 5 digits of the ZIP codes in |
| | | | | the other databases are validated against this field. |
| CTYCODE | Character | 3 | 0 | Not used |
| ST | Character | 2 | 0 | State abbreviation |
| CNTYNAME | Character | 24 | 0 | County name |